New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2003 Union County Residents

		Adult/Adolescent *		Pediat				Tota	al
1.	Current HIV/AIDS Categor	-		Cases	%			ases	용
	AIDS-Any OI AIDS-CD4 Only HIV Only	585 25 745 32 968 42		9 0 18	3	3 0 7		594 745 986	26 32 42
	Total	2298 100		27	10			2325	100
2.	Current Age * Cases %	3. Race/Eth.		Adult/ Cases	8 %	Pedia Cases	8 %	Tota Cases	%
	<pre><5 # # 5-12 24 1 13-19 25 1 20-29 117 5 30-39 550 24</pre>	White, Not Hisp Black, Not Hisp Hispanic Other/Unknown	panic panic	1409 469 #	# 61 20 #	# 18 6	# 67 22 #	376	16 61 20 2
	40-49 976 42 50+ 630 27 Unk. # #	Total		2298			100	2325	
	Total 2325 100								
4.	Patient Group	Ac	Adult/Adolescent Transmission Modes **						
		Males	% 		Female			Tota	
	Men sex with men (MSM) Injection drug user (IDU MSM/IDU Heterosexual contact Risk not reported/other*	377 446 51 164 415	26 31 4 11 29		23: 32: 25:	0 0 1 28 0 0 9 40 4 31)	67 49 66	77 17 77 30 51 2 93 22 59 30
	Total	1453			81	 4 100		226	
		Males	Pec %	diatric	Transı Femal		n Mod	les Tota	al %
	Parent at risk/has AIDS/ Risk not reported/other*	'HIV 28 #	93 #		2	# #	B ⊨		54 93 # #
	Total	30	100		2	 8 100			58 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2003.
- ** 31 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

 $\ensuremath{^{\star\star\star}}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Union County Residents

Adult/Adolescent*

1. Disease Categor	se Category Cases (%) Deaths (%)		Deaths (%)	Cases (%)		Cases (%)	Deaths (%)	
No Disease List	P ed	43 (1) 1176 (35)	859 (71) 32 (74) 431 (37)	40 (66) 0 (0) 0 (0)	16 (76) 17 (43) 0 (.) 0 (.)	1255 (36) 43 (1) 1176 (34)	876 (70) 32 (74)	
Total		3406 (100)		61 (100)	33 (54)	3467 (100)	2128 (62)	
2. Age * Cas	es	% 3. Race,	[/] Eth.	Adult/Adl* Cases %				
Under 5 5-12 13-19 20-29 30-39 1	23 13	1 Black 0 Hispa 2 Other	e, Not Hispanic k, Not Hispanic anic c/Unknown	735 22 2120 62 522 15	8 13 44 72 8 13 # #	743 21 2164 62 530 15 30 1		
40-49 1	070 3 406 1	1 Total	 L	3406 100	61 100	3467 100		
Total 3	 467 10	0						

Pediatric*

Total

4.	Patient	Group

Patient Group	Adult/Adolescent Transmission Modes **						
	Males	용	Females	용	Total	용	
Men sex with men (MSM)	682	28	0	0	682	20	
Injection drug user (IDU)	998	41	424	43	1422	42	
MSM/IDU	116	5	0	0	116	3	
Heterosexual contact	198	8	347	35	545	16	
Risk not reported/other***	431	18	209	21	640	19	
Total	2425	100	980	100	3405	100	

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	25	96	34	94	59	95
Risk not reported/other***	#	#	#	#	#	#
Total	26	100	36	100	62	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies. Classification at time of AIDS diagnosis.

^{** 1} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2003 Union County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	62	57	92%
1985	58	52	90%
1986	88	81	92%
1987	160	148	93%
1988	127	118	93%
1989	153	139	91%
1990	152	135	89%
1991	203	189	93%
1992	278	236	85%
1993	372	274	74%
1994	330	219	66%
1995	309	163	53%
1996	272	111	41%
1997	202	67	33%
1998	135	30	22%
1999	148	41	28%
2000	114	24	21%
2001	136	30	22%
2002	97	9	9%
2003	71	5	7%
Total	3467	2128	61%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003 Union County Residents

				Adult/	Adl*	Pediat	ric*	Total	
1. Age *	Cases	용	2. Race/Ethnicity	Cases	용	Cases	%	Cases	용
Under 5	22	2	White, Not Hispanic	#	#	#	#	194	17
5-12	8	1	Black, Not Hispanic	660	61	19	63	679	61
13-19	22	2	Hispanic	196	18	7	23	203	18
20-29	230	21	Other/Unknown	#	#	#	#	37	3
30-39	439	39							
40-49	279	25	Total	1083	100	30	100	1113	100
Over 49	111	10							
Unknown	#	#							
Total	1113	100							

Patient Group	Adult/Adolescent Transmission Modes **							
	Males	%	Females	%	Total	%		
Men sex with men (MSM)	168	25		0	168	16		
Injection drug user (IDU)	213	32	105	25	318	29		
MSM/IDU	21	3	0	0	21	2		
Heterosexual contact	69	10	169	41	238	22		
Risk not reported/other***	196	29	142	34	338	31		
Total	667	100	416	100	1083	100		
		Pedia [.]	tric Transmis	ssion Mod	les			
	Males	%	Females	90	Total	용		
Parent at risk/has AIDS/HIV	16	89	11	92	27	90		
Risk not reported/other***	#	#	#	#	#	#		
Total	18	100	12	100	30	100		

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Union County Residents

				Adult/Adolescent *		Ped	Pediatric *			Total		
1.	Current H	IV/AIDS Ca	tegory		Cases	%	Case	es	%	Cases	%	
	AIDS-Any (AIDS-CD4 (HIV Only				# # 1083	# # 24		# # 30	# # 33	2291 1176 1113	50 26 24	
	Total				4488	100		92	100	4580	100	
							Adult/A	Adl*	Pediat	ric*	To	tal
2.	Age *	Cases	%	3.	Race/Eth.		Cases	용	Cases	8	Cases	용
	Under 5	66	1		White, Not	- t Hispanic	925	21	12	13	937	20
	5-12	26	1			t Hispanic	2779	62	64	70	2843	62
	13-19	43	1		Hispanic	-	718	16	15	16	733	16
	20-29	768	17		Other/Unkr	nown	66	1	#	#	67	1
	30-39	1983	43									
	40-49	1240	27		Total		4488	100	92	100	4580	100
	Over 49	452	10									
	Unknown	#	#									
	Total	4580	100									

Patient Group	Adult/Adolescent Transmission Modes **							
-	Males	용	Females	용	Total	용		
Men sex with men (MSM)	850	27	0	0	850	19		
Injection drug user (IDU)	1211	39	529	38	1740	39		
MSM/IDU	137	4	0	0	137	3		
Heterosexual contact	267	9	516	37	783	17		
Risk not reported/other***	627	20	351	25	978	22		
Total	3092	100	1396	100	4488	100		
		des						
	Males	%	Females	용	Total	용		

	Males	용	Females	%	Total	%
Parent at risk/has AIDS/HIV	41	93	45	94	86	93
Risk not reported/other***	#	#	#	#	6	./
Total	44	100	48	100	92	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size,
 in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2003 Union County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	71	63	89%
1985	85	72	85%
1986	115	97	84%
1987	225	194	86%
1988	182	154	85%
1989	240	201	84%
1990	260	198	76%
1991	306	229	75%
1992	506	264	52%
1993	420	221	53%
1994	363	174	48%
1995	310	121	39%
1996	284	80	28%
1997	259	55	21%
1998	202	41	20%
1999	195	32	16%
2000	178	18	10%
2001	176	31	18%
2002	109	5	5%
2003	92	5	5%
Unknown	#	#	#
Total	4580	2255	49%